5

5



CLAIMS

- 1\ A RESOURCE management system, comprising:
- a) multiple SERVERs, each serving one or more PCs; and
- b) means for allowing
 - all PCs to store PROFILEs of RESOURCEs into a SERVER; and
 - ii) all PCs to search all PROFILEs.
- 2. A system according to claim 1, and further comprising:
- c) means for allowing any PC to load a downloadable RESOURCE into its respective SERVER.
- 3. A system according to claim 2, and further comprising:
- d) means for allowing all PCs to download any RESOURCE contained in any SERVER.
- 4. A system according to claim 1, and further comprising
- c) means for storing a PROFILE which contains information about a user of a SERVER; and
- d) means for restricting the user's access to RESOURCEs, based on data contained in the user's PROFILE.
- 5. A RESOURCE management system, comprising:
- a) multiple LOCAL SERVERs, each serving one or more PCs; and
- b) means for allowing
 - i) all PCs to store PROFILEs of RESQURCEs into one or more REGIONAL SERVERs; and
 - ii) all PCs to search all PROFILEs.
- 6. A RESOURCE management system, comprising:
- a) multiple SERVERs,
 - i) each serving one or more PCs; and
 - ii) each storing a catalog of PROFILEs, which describe RESOURCEs; and

5

5

5

- b) search means for allowing any PC to search any PROFILE contained in any SERVER.
- 7. A system according to claim 6 in which the search means allows Boolean key-word searching.
- 8. A system according to claim 6 in which the search means allows a user of a PC to order a search of PROFILEs to be done at a future time.
- 9. A method of managing RESOURCEs, comprising the following steps:
 - a) maintaining the RESOURCEs at multiple sites;
 - b) maintaining PROFILEs for the RESOURCEs, each PROFILE containing information relating to its RESOURCE; and
 - c) allowing a user to search, from a single site, all PROFILEs.
 - 10. A method according to claim 9, in which
 - d) some RESOURCEs take the form of downloadable computer data; and
 - e) some RESOURCEs take the form of information which is not downloadable.
 - 11. A method according to claim 10, in which
 - f) some RESOURCEs take the form of physical objects.
- 12. A method according to claim 9, in which some of the RESOURCEs take the form of downloadable data, and further comprising
 - d) means for allowing a user to download selected downloadable RESOURCEs to the user's site.
- 13. A method according to claim 9, in which all PROFILEs are stored at a single site.

14. A method according to claim 9, in which multiple collections of PROFILEs are each stored at a different site, and each collection contains substantially all PROFILEs.

add G'